

Health Policy

H2: Infection Control including Coronavirus

Policy statement

Good practice infection control is paramount in the early years settings. Young children's immune systems are still developing, and they are therefore more susceptible to illness.

We aim to provide care for healthy children through preventing cross infection of viruses and bacterial infections and promote health through identifying allergies and preventing contact with the allergenic trigger.

"Schools and nurseries are common sites for transmission of infections. Children are particularly susceptible because:

- they have immature immune systems
- have close contact with other children
- sometimes have no or incomplete vaccinations
- have a poor understanding of hygiene practices"

Public Health England 2021

Prevention

- Minimise contact with individuals who are unwell by ensuring that those who have symptoms of an infectious illness do not attend settings and stay at home for the recommended exclusion time.
- Everyone is encouraged to wash their hands on arrival to the setting and throughout the day at Ullesthorpe Pre-school. Always clean hands thoroughly, and more often than usual where there is an infection outbreak.
- Ensure good respiratory hygiene amongst children and staff by promoting 'catch it, bin it, kill it' approach.
- Where necessary, for instance, where there is an infection outbreak, wear appropriate PPE.
- Promote good ventilation during infection outbreaks by keeping windows and doors open where possible.
- Regular sanitisation of services and toys is carried out throughout the day.

Low threshold for illness

At Ullesthorpe Pre-school we operate a low threshold policy for illness to reduce the risk of the spread of infection within the setting.

In order to protect all of our children and the staff we are operating a low threshold policy to reduce the risk of spread of viruses and infections. For this purpose, we are advising:

- Any child who comes into pre-school with a high temperature (37.5 Celsius or above) will be sent home and will be asked to remain at home for a minimum of 24 hours or until the child is well if longer.
- Please do not send in your child if they have been given medication to reduce a high temperature in the morning as this can mask virus's/illness and increase the risk of spread of infection.
- As we are running a low-threshold policy for illnesses we advise for parents/carers to not send in their child if they appear unwell even without a temperature. We may ask parents/carers to take home their child if we feel they are not well enough to be at pre-school to reduce the risk of spread of any virus's/infections. Please note that we can only give paracetamol (Calpol) for a high temperature once we

Health Policy

H2: Infection Control including Coronavirus

have got verbal consent from a parent with parental responsibility and when someone is on their way to collect the child.

- Through our low-threshold policy we are asking that all children who are unwell to be kept off for a minimum of 24 hours or until the child is well again to ensure the risk of the spread of infection is reduced.

Procedures for children who are sick or infectious

- If children appear unwell during the day – for example, if they have a temperature, sickness, diarrhoea or pains, particularly in the head or stomach the manager or deputy will call the parents and ask them to collect the child, or to send a known carer to collect the child on their behalf.
- If a child has a temperature, they are kept cool, by removing top clothing and sponging their heads with cool water but kept away from draughts.
- The child's temperature is taken using an in ear thermometer strip, kept in the first aid box.
- If the child's temperature does not go down and is worryingly high, then we may give them Calpol or another similar analgesic, after first obtaining verbal consent from the parent where possible. This is to reduce the risk of febrile convulsions. Parents sign the medication record when they collect their child.
- In extreme cases of emergency, an ambulance is called and the parent informed.
- Parents are asked to take their child to the doctor before returning them to the setting; we can refuse admittance to children who have a temperature, sickness and diarrhoea or a contagious infection or disease.
- Where children have been prescribed antibiotics for an infectious illness or complaint, we ask parents to keep them at home for 24 hours before returning to the setting.
- After sickness and/or diarrhoea, we ask parents keep children home for 48 hours following the last episode.
- Some activities, such as sand and water play, and self-serve snacks where there is a risk of cross-contamination may be suspended for the duration of any outbreak.
- We have a list of excludable diseases and current exclusion times. The full list is obtainable from www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities and includes common childhood illnesses such as measles.

HIV/AIDS/Hepatitis procedure

HIV virus, like other viruses such as Hepatitis A, B and C, are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults. We:

- Wear single-use vinyl gloves and aprons when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.
- Bag soiled clothing for parents to take home for cleaning.
- Clear spills of blood, urine, faeces or vomit using mild disinfectant solution and mops; any cloths used are disposed of with the clinical waste.
- Clean any tables and other furniture, furnishings or toys affected by blood, urine, faeces or vomit using a disinfectant.
- Ensure that children do not share tooth brushes, which are also soaked weekly in sterilising solution.

Nits and head lice

- Nits and head lice are not an excludable condition; although in exceptional cases we may ask a parent to keep the child away until the infestation has cleared.
- On identifying cases of head lice, we inform all parents ask them to treat their child and all the family if they are found to have head lice.

Health Policy

H2: Infection Control including Coronavirus

Response to an infection outbreak

- We will manage confirmed cases of a contagious illness by following the guidance from the [UK Health Security Agency \(UKHSA\)](#)

Reporting of 'notifiable diseases'

- If a child or adult is diagnosed as suffering from a notifiable disease under the Health Protection (Notification) Regulations 2010, the GP will report this to Public Health England.
- When we become aware, or are formally informed of the notifiable disease, our manager will contact Ofsted and Public Health England, and act[s] on any advice given.

Informing others

Early years providers have a duty to inform Ofsted of any serious accidents, illnesses or injuries as follows:

- anything that requires resuscitation
- admittance to hospital for more than 24 hours
- a broken bone or fracture
- dislocation of any major joint, such as the shoulder, knee, hip or elbow
- any loss of consciousness
- severe breathing difficulties, including asphyxia
- anything leading to hypothermia or heat-induced illness

In some circumstances this may include a confirmed case of a Notifiable Disease in their setting, if it meets the criteria defined by Ofsted above. Please note that it is not the responsibility of the setting to diagnose a notifiable disease. This can only be done by a clinician (GP or Doctor). If a child is displaying symptoms that indicate they may be suffering from a notifiable disease, parents must be advised to seek a medical diagnosis, which will then be 'notified' to the relevant body. Once a diagnosis is confirmed, the setting may be contacted by the UKHSA, or may wish to contact them for further advice.

Managing a suspected case of Coronavirus

The main symptoms of coronavirus are:

- a high temperature
- a new continuous cough – this means coughing a lot, for more than an hour, or three or more coughing episodes in 24 hours
- a loss of change to smell or taste – this means they cannot smell or taste anything, or things smell or taste different to normal

Please refer to the latest government guidance on [next-steps-for-living-with-COVID](#). If it is suspected that a child has COVID, staff do not attempt to diagnose or make assumptions about symptoms presented. They should immediately respond and take action as detailed in this procedure. This includes asking parents/carers to seek further advice from a medical practitioner who may/or may not advise that the symptoms meet the criteria for testing. In which case if the child appears well and displays no further suspect symptoms, they can return to the setting within the timescale advised by the medical practitioner.

The focus on coronavirus must not detract from staff being alert to the signs and symptoms linked to other serious illness as detailed below:

What to do if a child seems very unwell

Children and babies will still get illnesses that can make them very unwell quickly. It is important to get seek medical help and to contact the child's parents immediately.

Health Policy

H2: Infection Control including Coronavirus

Call 999 if a child:

- has a stiff neck
- has a rash that does not fade when you press a glass against it
- is bothered by light
- has a seizure or fit for the first time
- has unusually cold hands
- has pale, blotchy, blue or grey skin
- has a weak, high-pitched cry that is not like their usual cry
- is extremely agitated (does not stop crying) or is confused
- finds it hard to breathe
- has a soft spot on their head that curves outwards
- is not responding like they normally do

Being prepared

- All staff are aware of this procedure and their responsibility if a child becomes unwell with coronavirus symptoms at the setting.
- Staff are instructed in how to remove and dispose of PPE equipment safely – this includes aprons and gloves worn during routine care procedures.

If a child becomes unwell

- If a child is displaying any of the symptoms of coronavirus. The manager/deputy calls their parents to collect them immediately. Current guidance states that: *'If a child or young person has a positive COVID-19 test result they should try to stay at home and where possible avoid contact with other people for 3 days after the day they took the test. The risk of passing the infection on to others is much lower after 3 days, if they feel well and do not have a high temperature. Children and young people who usually attend an education or childcare setting and who live with someone who has a positive COVID-19 test result should continue to attend as normal'*.
- We will maintain contact with the parent(s) of the child who was sent home, and ensure they know that their child is entitled to a test and encourage them to get their child tested. To access testing parents should use the [111 online coronavirus service](#).
- We will ask the parent(s) to let us know the outcome as soon as possible.
- If the test result is positive we will inform all other parents that a child has tested positive and remind them to be aware of the symptoms to look out for.
- We will inform our local authority if a child, or staff member in the setting tests positive for coronavirus.

Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance 2009)